

# Universal

## Hypo-allergenic disposable wipes with neutral detergent



Item no.: 41153



Item no.: 41133

### Easy, gentle cleaning without the use of protective gloves

Cleaning tasks at home and at work are often difficult when using disposable wipes that require protective gloves. We have therefore developed a new universal wipe with hypo-allergenic cosmetic approved ingredients.

The wipes contain surface-active surfactants, which ensures the wipe removes grease and dirt while being gentle on the skin.

The wipes are extra durable and perforated with holes, which absorb grease and dirt, so after drying is not necessary.

The wipes are both cross and z-folded so that the wipes can be removed from the packages individually folded and ready for use.

### Application

Cleaning of all surfaces that can withstand water e.g. tables, sinks, furniture with vinyl and leather upholstery, stove, refrigerator, car dashboards, etc. The wipe is also suitable as a stain remover on textiles and to remove mold from window frames, damp corners and grease from kitchen furniture and equipment.

As the wipes do not contain anionic surfactants, neutralization of cationic and disinfectants is avoided. The wipes are therefore, suitable for cleaning soiled surfaces immediately before disinfected with alcohol free disinfectant wipes or disinfectants.

### Note

The disposable wipes are produced in two sizes; maxi and mini.

**Item no. 41153: Universal Maxi carton of 12 packets**  
1 packet contains 20 wipes, 43×30 cm

**Item No. 41133: Universal Mini carton of 20 packets**  
1 packet contains 25 wipes, 20×30 cm

### Content

Ingredients: <1% surfactant Preservatives: Sodium Benzoate, Potassium Sorbate

Perfume and colour free  
contains lactic acid  
pH ca. 5.2 (Skin neutral)

### Environmental labeling

pH-neutral universal cleaning without allergenic preservatives.

Cleaner and cloths are declared and labeled in collaboration with the Asthma and Allergy Denmark. Local workplace requirements must be observed. Safety Data Sheet submitted on request.

Produced in Germany under cGMP.



**Astma-Allergi  
Danmark**

**Wet Wipe A/S**  
Tel: +45 70 266 244  
info@wetwipe.eu  
www.wetwipe.eu

**Wet Wipe GmbH**  
Tel: +49800 6646940  
info@wetwipe.de  
www.wetwipe.de

81-059 EN, Ver. 2  
Sep 2017

**wetwipe®**

# Triamin Disinfection

## Disposable wipes without alcohol



**Cleans and disinfects in one step**  
**Effective at low temperature and under blood soiled conditions**  
**Low foaming**

### Use

Disposable disinfection wipes for disinfection processes and for pre-cleaning of surgical instruments. Can be used as alternative to enzymatic cleaners and traditional detergents.

Wet Wipes Triamin Disinfection kills vegetative bacteria, yeast and non-enveloped viruses (for instance HIV and Hepatitis B/C) under dirty and blood soiled conditions. With a maximum exposure time of 5 minutes. Most vegetative bacteria are killed within 2 minutes.

No water rinse after disinfection of environmental and contact surfaces. Compatible with irregular surfaces and instruments with cavities due to low foam.

The disinfection liquid is non-sticky to surfaces and residual build-up can be easily removed by wiping with damp-moist cloth. No discoloration.

### Biocidal test

Tested effective under dirty and blood soiled conditions according to: EN13624, EN1656, EN13727, EN14349, EN13697 and DVV/RKI guidelines for viruses.

### Use Restrictions

This product is not to be used as terminal high-level disinfectant on invasive surgical instruments. Use gloves.

The disposable wipes are produced in two sizes; maxi and mini.

Item no.: 81153. Triamin Disinfection Maxi  
Carton of 12 packets  
1 packet contains 20 wipes, 43×30 cm

Item no.: 81133. Triamin Disinfection Mini  
Carton of 20 packets  
1 packet contains 25 wipes, 20×30 cm

### Biocidal active ingredient

The biocidal active ingredient is Laurylamine Dipropylenediamine with CAS No.: 2372-82-9. It is a non-ionic disinfection agent that is not used in antiseptic skin disinfection procedures, which minimizes the risk of development of cross resistance.

The wipes have a pH of 8 - 9 and contain no dyes, or perfume.

Lauramylamine Dipropylenediamine is due to its non-ionic character compatible with viscose wipes and will not be neutralized by negatively charged viscose fibres.

2 years stability. To be used within 30 days after opening.

Remember always to read instruction for use before use

Wet Wipe A/S  
info@wetwipe.eu  
Tel: +45 70 266 244  
www.wetwipe.eu

CVR/VAT no: DK 30207726

Wet Wipe GmbH  
info@wetwipe.de  
Tel: +49800 6646940  
www.wetwipe.de

Ust-IdNr. DE 178836011

81-053, EN, Ver. 1  
Oct 2017

**wetwipe®**  
Developed in Denmark  
Made in Germany

# Documentation for disinfection effect

## Triamin Disinfection

Wet Wipe Triamin Disinfection is a combined disinfection and cleaning liquid with 0,25 g/l of the active biocide: Laurylamine Dipropylendiamine (CAS-no.: 2372-82-9). It was tested by Dr. Brill + Partner according to the obligatory standards for testing of surface disinfection products used in the medical field without mechanical action as summarized in the table below.

**Conclusion:** An exposure time against vegetative bacteria, yeast fungus, blood borne viruses of 5 minutes and an exposure time against non-enveloped viruses 15 minutes can be seen as a worst case scenario, not taking into account the positive bacterial reducing effect of applying a wipe onto a surface.

Minimum incubation time for pass of test

Microorganism	EN test	Test conditions	Time
Bacteria: Staphylococcus aureus, Enterococcus hirae, Escherichia coli, Pseudomonas aeruginosa	EN 13697	Dirty	5 min
	EN 13727	Dirty	1 min
	EN 16615	Clean	5 min
Yeast fungus: Candida albicans	EN 13697	Dirty	5 min
	EN 13624	Dirty	1 min
	EN 16615	Clean	5 min
Tuberculosis: Mycobacterium terrae	EN 14348	Clean	15 min
Blood borne viruses: Bovine Viral Diarrhea Virus (BVDV) (surrogate of HCV)	EN 14476 acc. to RKI/DVV guideline	High blood soiling	5 min
Non-enveloped viruses: vaccinia strain Elstree	EN 14476 acc. to RKI/DVV guideline	High blood soiling	15 min

All tests and conclusions copied from independent expert reports by DR.BRILL + DR. STEINMAN

# Ethanol Disinfection

## Disposable wipes with ethanol



Item no.: 51153



Item no.: 51133

**Residue free**  
**Fast acting**  
**Effective against Norovirus**  
**Reclosable click lid**

### Use

Disposable disinfection wipes for disinfection of environmental surface and contact points on devices. Tested according to European test standards.

### Expert reviews

Danish infection hygiene experts at CEI has reviewed Wet Wipe Ethanol Disinfection and concluded that it can be used for disinfection against vegetative bacteria and fungus.

### Storage conditions

Wet Wipes disposable wipes impregnated with ethanol are UN classified as solids containing flammable liquid and may therefore be exempted the technical regulations for storage and handling of flammable liquids.

The disposable wipes are produced in two sizes; maxi and mini.

**Item no.: 51153: Ethanol Disinfection Maxi**  
Carton of 12 packets  
1 packet contains 20 wipes, 43×30 cm

**Item no.: 51133: Ethanol Disinfection Mini**  
Carton of 20 packets  
1 packet contains 25 wipes, 20×30 cm

### Content

Ethanol 70,0 %

The ethanol is denaturated with isopropanol (<5%).

Produced in Germany. Safety data sheet available on request.

Always read the directions before use.

# Documentation for disinfection effect

## Ethanol Disinfection

Minimum incubation time for pass of test

Microorganisms	EN test	Exposure time
Bacteria	EN 13727, EN 16615	30 sec
Yeast	EN 13624	30 sec
Mycobacteria	EN 14348	60 sec
Fungus	EN 13624	60 sec
Norovirus	EN 14476	30 sec

# Ethanol Disinfection 70%

## Disposable wipes with ethanol



Item no.: 51154



Item no.: 50125

**Residue free**  
**Fast acting**  
**Effective against Norovirus**  
**Reclosable click lid**

### Use

Disposable disinfection wipes for disinfection of environmental surface and contact points on devices. Tested according to European test standards.

### Expert reviews

The toxicologists at the Danish Veterinary and Food Administration has reviewed Wet Wipe Ethanol Disinfection 70% and concluded that it can be used for disinfection of food contact surfaces without rinsing with water.

### Application

Wipes can be used for disinfection and cleaning of production equipment or tools in direct food contact. They are especially useful for removing fat, oil and glue residues from equipment in processes where water is highly unwanted or for cleaning of electronic appliances, labelling systems, packaging units etc. that doesn't tolerate water.

### Areas of use

Wipes are used in the food processing industry and by food handlers in the hotel, restaurant and catering business.

### Efficacy

Effective against all kinds of vegetative bacteria, yeast fungus and Norovirus according to EN 1276, EN 13697 and EN 14476.

Item no.: 51154: Ethanol Disinfection 70% Maxi Blue  
Carton of 6 packets  
1 packet contains 40 blue wipes, 28×42 cm

Item no.: 50125: Ethanol Disinfection 70%  
Carton of 20 packets  
1 packet contains 50 white wipes, 20×20 cm

### Content

Ethanol 70,0 %  
The ethanol is partially denaturated with isopropanol (<5%).

### Storage conditions

Wet Wipe soft packs of wipes impregnated with ethanol doesn't contain any excess of alcohol. The alcohol is totally absorbed in the wipes and our products are therefore exempted the technical regulations for storage and handling of flammable liquids. A much higher quantity of products can thus be stored under unregulated conditions compared to liquid alcohol products.

### Transport requirements

To be transported as dangerous goods under the limited quantity rule. Does not require trucks approved for dangerous goods transport.

### Use disinfectants safely

Always read the label and product information before use.

Produced in Germany.

Wet Wipe A/S  
info@wetwipe.eu  
Tel: +45 70 266 244  
www.wetwipe.eu

CVR/VAT no: DK 30207726

Wet Wipe GmbH  
info@wetwipe.de  
Tel: +49800 6646940  
www.wetwipe.de

Ust-IdNr. DE 178836011

51-051, EN, Ver. 1  
Oct 2017

**wetwipe**<sup>®</sup>  
Developed in Denmark  
Made in Germany

# Chlorine Disinfection

## Disposable wipes with active chlorine



Item No: 25074



Item No: 25058

**Broad-spectrum disinfection**  
**Easy-to-use**  
**Always correct dosing**

**Wet Wipe Chlorine Disinfection Wipes are impregnated with a granulated chlorine product**

By using Wet Wipe Chlorine Disinfection you will experience a simple work procedure and achieve an optimal disinfection.

The packet contains a burst bag with a surfactant solution. When the bag is burst, the liquid runs in to the wipes, which dissolves the granules that is turned into a solution of active chlorine. The wipes are ready to use after 7 minutes.

**Anwendung**

Use for disinfection of environmental surfaces and contact points on various devices. Disinfects effectively against all viruses for example, Norovirus, HIV and Hepatitis B, vegetative bacteria, and yeast within 1 minute. Contact time against bacterial spores 10 minutes. Can be used for disinfection of surfaces with mold with a contact time of 15 minutes.

Specially recommended for disinfection of contact points for patients in isolation.

The disposable wipes are produced in two sizes; maxi and mini.

**Item no.: 25074: Chlorine Disinfection Maxi**  
Carton of 24 packets  
1 packet contains 5 wipes, 43×30 cm

**Item no.: 25058: Chlorine Disinfection Mini**  
Carton of 20 packets  
1 packet contains 10 wipes, 20×30 cm

**Content in granulated chlorine product**  
Sodium dichloroisocyanurate dihydrate 100 %

**Content in the activated ready to use wipes**  
Active chlorine > 1000–1200 ppm  
Surfactant < 0,5%

**Note**

Activated ready to use wipes retain their disinfection properties up to 7 days after activation. Produced in Germany. Safety data sheet available on request.

**Always read the directions before use.**

Wet Wipe A/S  
info@wetwipe.eu  
Tel: +45 70 266 244  
www.wetwipe.eu

CVR/VAT no: DK 30207726

Wet Wipe GmbH  
info@wetwipe.de  
Tel: +49800 6646940  
www.wetwipe.de

Ust-IdNr. DE 178836011

74-066, EN Ver. 1  
Oct 2017

**wetwipe®**  
Developed in Denmark  
Made in Germany

# Documentation for disinfection effect

## Chlorine Disinfection

Wet Wipe Chlorine Disinfection consists of a structured cloth impregnated with granulated sodium dichloroisocyanurate dihydrate and a burst bag with a surfactant solution. The product is activated by hitting the burst bag, such that the surfactant solution runs into the cloth, which dissolves the granulates that is turned into a solution of hypochlorous acid with an active chlorine concentration of at least 1000 ppm.

Wet Wipe has tested the efficacy of disinfectant solutions of the above granulate under clean conditions with positive results at 1000 ppm active available chlorine. Test results listed in the table below.

**Conclusion:** Incubation time against Clostridium bacterial spores 10 min. Incubation time against vegetative bacteria, yeast fungus, enveloped virus and Norovirus 1 min.

Minimum incubation time for pass of test

Microorganism	EN test	Time
Bacterial spores: <i>Clostridium difficile</i>	EN 13704	10 min
Bacteria: <i>Staphylococcus aureus</i> , <i>Enterococcus hirae</i> , <i>Escherichia coli</i> , <i>Pseudomonas aeruginosa</i>	EN 13697	5 min
	EN 1276	1 min
	EN 13727	1 min
	prEN 16615	5 min
Yeast fungus: <i>Candida albicans</i>	EN 13697	5 min
	EN 1650	1 min
	EN 13624	1 min
Mould fungus spores: <i>Aspergillus brasiliensis</i>	EN 13697	15 min
	EN 1650	15 min
	EN 13624	15 min
Virus: <i>Norovirus</i> <i>Adenovirus</i> , <i>poliovirus</i>	EN 14476	1 min
	EN 14476	5 min



# Universal Mop

Disposable mop with soap and water - ready to use



**Quick and easy floor cleaning of small areas. Can manage cleaning up to 10 m<sup>2</sup>. on linoleum/vinyl/stone and non-slip floors. Very suitable for toilets, laboratories, isolation rooms, etc. Optimal hygiene - discard after use.**

#### The mop:

Is a 3-layer mop consisting of a special perforated polyester wipe against the floor, a dirt-absorbent middle layer and a final barrier to the feeder.

#### How it works:

The system results in a very effective cleaning, the dirt gets sucked up into the mop and leaves the surface clean and streak free. Due to a controlled release and reabsorption of cleaning liquid the drying out time is also very short.


Due to its unique design, the mop can also be used for non-slip surfaces, where high friction is normally a problem.

Item No.: 41172, 45 x 13 cm  
10 mops per pack, 9 packs per carton.

Contains <1% surfactant Preservatives: Sodium Benzoate, Potassium Sorbate.  
Fragrance and dye free.  
Contains lactic acid pH ca. 5.2 (skin neutral) .  
Impregnated with 95g detergent.  
Sufficient for cleaning an area of 10 m<sup>2</sup>.  
Produced in Germany under cGMP.

#### Accessories

It is possible to buy feeder and sole as acquisitions for this product.



Wet Wipe A/S  
Tel: +45 70 266 244  
info@wetwipe.eu  
www.wetwipe.eu

CVR/VAT no: DK 30207726

Wet Wipe GmbH  
Tel: +49800 6646940  
info@wetwipe.de  
www.wetwipe.de

Ust-IdNr. DE 178836011

41-050, EN, Ver. 3  
Aug 2017

wetwipe®

# Chlorine Disinfection

## Disposable Mop with active chlorine



**Broad-spectrum disinfection**  
**Sporicidal**  
**Always correct dosing**

**Wet Wipe Chlorine Disinfection disposable mops are impregnated with a chlorine granulate**

The package with 3 mops contains a cracking bag with detergent. When the bag is broken, the detergent will spread over the chlorine granulate and the mop will be ready-to-use after 10 min. With Wet Wipe Chlorine Disinfection you achieve optimal and simple disinfection.

### Applications

Disinfection of surfaces and floors, for example by patients in isolation or clean room. Effective against all viruses including, Norovirus, HIV and Hepatitis B, vegetative bacteria, molds and yeasts and meet the requirements for disinfection of *Clostridium difficile*.

### How to use

1. Attach to the sole of the feeder
2. Place the disposable wipe on the floor
3. Push the sole on to the disposable wipe
4. Start the disinfection of the surface
5. Discard the wipe and micropad sole after use
6. Disinfect the feeder and the telescopic handle

### Note


The disposable mops retain their effect at >1000ppm of active chlorine for 7 days after opening.

Item number: 60172  
1 pack contains 3 mops, 45x13 cm

### Contents

Active chlorine >1000 ppm

Produced in Germany. Safety data sheet available on request.



# Unides® AF



Ready to use rapid disinfectant based on alcohols for residue free disinfection. Broad antimicrobial spectrum and short drying time. Fragrance free.

## Use areas

Use for disinfection of wipeable surfaces and non-invasive alcohol resistant medical devices.

## Application

Apply to surface undiluted and allow disinfectant solution to take effect. Keep surface wet for the whole exposure time. Suitable for use with refillable dispenser systems.

## Composition

100 g active ingredient solution contains: 24 g Ethanol and 37 g Propan-1-ol.

## Antimicrobial Spectrum

Unides® AF is:

- Bactericidal (incl. MRSA)
- Mycobactericidal (*M. terrae*; *M. avium*)
- Yeasticidal, fungicidal (*C. albicans*; *A. brasiliensis*)
- Virus inactivating (HBV/HIV, HCV, BVDV, Rota-; Adeno-, Noro-, Vaccinia-, Influenza- and Herpes viruses)

## Listings/registrations

VAH List of Disinfectants

IHO listing

Certified as Medical Device class IIa according to Medical Device Directive 93/42/EEC

BAuA registered according to EU Biocidal Regulation and ECHA guidelines.

## Chemical-physical data

Color: colourless  
pH-value: 9-10  
Flash point: 25°C DIN 51755

## Special advice

Use disinfectants safely. Always read the label and product information before use.

## 4- Field Test

Application in wipe dispenser systems tested in the 4-field test according to EN 16615 and VAH guidelines by Hygieneinstitut IKI - PD Dr.Pitten, Gießen

   BAuA Reg. Nr.: N-72471

Wet Wipe A/S  
info@wetwipe.eu  
Tel: +45 70 266 244  
www.wetwipe.eu

Wet Wipe GmbH  
info@wetwipe.de  
Tel: +49800 6646940  
www.wetwipe.de

52-051, EN Ver. 1  
Sep 2017

  
Developed in Denmark  
Made in Germany

CVR/VAT no: DK 30207726

Ust-IdNr. DE 178836011

## Exposure times

	EN test	Exposure times
Bacteria	EN 13727, EN 14561, EN 16615, DGHM/VAH	30 sec
<i>S. aureus (MRSA)</i>	DGHM/VAH	30 sec
Yeast	EN 13624 DGHM/VAH	30 sec
<i>Mycobacteria</i>	EN 14348	60 sec
Fungus	EN 13624 DGHM/VAH	60 sec
HIV/HBV,HCV,Corona	EN 14476	30 sec
Influenza / Herpes	EN 14476	30 sec
BVDV	EN 14476	30 sec
Vaccinia	EN 14476	30 sec
Rotavirus	EN 14476	60 sec
Norovirus	EN 14476	60 sec

## Ordering information

	Art.-Nr.	Quantity	Packaging	PZN
<b>Unides AF Liquid</b>				
<b>Spray bottle</b>	50702	250 ml	Carton of 12 bottles	13654708
<b>Unides AF Liquid</b>				
<b>Spray bottle</b>	50204	1.000 ml	Carton of 10 bottles	13654714
<b>Unides AF Liquid</b>				
<b>Canister</b>	50205	5 l		13654720
<b>Canister</b>	50206	10 l		13654737

# Unides® AF wipes



Ready to use rapid disinfection wipes based on alcohols for residue free disinfection. Broad antimicrobial spectrum and short drying time. Fragrance free.

#### Use areas

Use for disinfection of wipeable surfaces and non-invasive alcohol resistant medical devices.

#### Application

Wipe surface and allow disinfectant solution to take effect. Keep surface wet for the whole exposure time.

#### Composition

100 active ingredient solution contains: 24 g Ethanol and 37 g Propan-1-ol.

#### Antimicrobial Spectrum

The impregnating solution of Unides® AF is:

- Bactericidal (incl. MRSA)
- Mycobactericidal (M. terrae; M. avium)
- Yeasticidal, fungicidal (C. albicans; A. brasiliensis)
- Virus inactivating (HBV/HIV, HCV, BVDV, Rota-; Adeno-, Noro-, Vaccinia-, Influenza- and Herpes viruses)

#### Listings/registrations

VAH List of Disinfectants

IHO listing

Certified as Medical Device class IIa according to EU Medical Device Directive 93/42/EEC

BAuA registered according to EU Biocidal Regulation and ECHA guidelines.

#### Chemical-physical data

Color: colourless  
pH-value: 9-10  
Flash point: 25°C DIN 51755

#### Special advice

Use disinfectants safely. Always read the label and product information before use.

#### 4- Field Test

Application in wipe dispenser systems tested in the 4-field test according to EN 16615 and VAH guidelines by Hygieneinstitut IKI - PD Dr.Pitten, Gießen

   BAuA Reg. Nr.: N-72472

Wet Wipe A/S  
info@wetwipe.eu  
Tel: +45 70 266 244  
www.wetwipe.eu

CVR/VAT no: DK 30207726

Wet Wipe GmbH  
info@wetwipe.de  
Tel: +49800 6646940  
www.wetwipe.de

Ust-IdNr. DE 178836011

52-050, EN Ver. 1  
Sep 2017

**wetwipe®**  
Developed in Denmark  
Made in Germany

# Exposure times

	EN test	Exposure times
Bacteria	EN 13727, EN 14561, EN 16615, DGHM/VAH	30 sec
<i>S. aureus (MRSA)</i>	DGHM/VAH	30 sec
Yeast	EN 13624 DGHM/VAH	30 sec
<i>Mycobacteria</i>	EN 14348	60 sec
Fungus	EN 13624 DGHM/VAH	60 sec
HIV/HBV,HCV,Corona	EN 14476	30 sec
Influenza / Herpes	EN 14476	30 sec
BVDV	EN 14476	30 sec
Vaccinia	EN 14476	30 sec
Rotavirus	EN 14476	60 sec
Norovirus	EN 14476	60 sec

# Ordering information

	Art.-Nr.	Quantity	VE	PZN
<b>Unides AF Premium wipes</b>				
<b>Softpack</b> 20 x 20 cm, white	50115	100 St	6 Softpacks	13705328
<b>Unides AF</b>				
<b>Tub</b> 13 x 20 cm , white	50305	150 St	12 Tubs	13654648
<b>Refill</b> 13 x 20 cm , white	50805	150 St	12 Refills	13654648
<b>Unides AF Jumbo</b>				
<b>Tub</b> 21 x 26 cm, white	50306	200 St	6 Tubs	13654660
<b>Refill</b> 21 x 26 cm, white	50806	200 St	6 Refills	13654677
<b>Unides AF Maxiwipes Blue</b>				
<b>Bucket</b> 20 x 25 cm, blue	50307	500 St	1 Dispenser	13654743
<b>Refill</b> 20 x 25 cm, blue	50803	500 St	2 Refills	13654766

# Wall Mount

## For Wet Wipe disposable wipes



To make it easier to use Wet Wipe disinfection and universal wipes, we can offer two types of dispenser racks made of acid-proof stainless steel.

The two different suspension brackets are spring-loaded, with the result that the packages are very easy to take wipes out of – whether the brackets are full or half empty.

The wall mounted brackets are designed in close cooperation with users and health organisations at several leading hospitals in Denmark in order to ensure optimal usability.

### **Dispenser made of 5mm stainless thread:**

For Wet Wipe Mini  
Item no. 30065

For Wet Wipe Maxi  
Item no. 31066

**Wet Wipe A/S**  
Tel: +45 70 266 244  
info@wetwipe.eu  
www.wetwipe.eu

CVR/VAT no: DK 30207726

**Wet Wipe GmbH**  
Tel: +49800 6646940  
info@wetwipe.de  
www.wetwipe.de

Ust-IdNr. DE 178836011

22-002, EN, Ver. 5  
Sep 2017

**wetwipe®**

# Door caddy

## Single use isolation kit

### Ready to hang up

- Door Caddy isolation kit is designed to hang up on the door to the patient in isolation.
- The isolation kit is an alternative to a cleaning trolley which is more place demanding and has to be cleaned and disinfected after use.
- The isolations kit has place for the necessary personal protective equipment and 3 sizes of gloves easy to take from the box through the holes in the pockets. Also place for packs of Wet Wipe Chlorine or Ethanol Disinfection wipes.
- The pockets for personal protective equipment can be closed to avoid dirt and dust.
- Wet Wipe Door Caddy is for single use only and therefore no need for cleaning and disinfection.
- Accessories for hanging can be purchased separately and reused.

	Box	Items per box	Art.-Nr.
Door Caddy	1	5	31103

### Accessories:

Suction cups	1	2	32103
Narrow hook (14 mm)	1	2	36103
Wide hook (44 mm)	1	2	37103



Narrow hook  
(14 mm)



Wide hook  
(44 mm)



Suction cups